

### FCC Rural Broadband Experiments Working with the Census Block List

When the Rural Broadband Experiments census block list (http://www.fcc.gov/encyclopedia/ruralbroadband-experiments) is downloaded and opened directly in Microsoft Excel by double-clicking the filename, the Census Block ID (CBFIPS) may appear as scientific notation rather than a text field (1.0100102e+11 rather than 010010201001). This issue is due to Excel treating data as "general" format. The preferred method for opening the census block list is to import it in Excel as a "text" format. The step-by-step process for importing the census block list is described below.

### Step One: Download and save the Rural Broadband Experiments census block list




## Step Two: Open Microsoft Excel



# Step Three: Click on the Data Tab

File	Ho	me In	nsert	Page Layo	ut F	ormulas	Data	Review 1	liew		
From Access	From Web		rom Othe Sources		ing	Refresh All *	Connection Properties Edit Links nnections	5 21 <u>2</u> X1 So		3 Advanced	Text to Columns [
	A1		• (*	fx	1						
1	А	В	100	c	D	E	F	G	н	1	J
1											
2 3											
2											


### **Step Four: Select "From Text"**



**Step Five: Import the Census Block List** 

	Connections 21 12 View	
re Z Import Text File		SUBIE
Computer +		• + Search Desktop P utine
Organize   New folder		
A Microsoft Excel	Name	Date modified Typ State . ,Coun 9/10/2014 9:57 AM File actFI
* Favorites	CAM411ExpEliTribalYes72514FINAL.csv	0/0/2014 4/26 DM Mr. PS-CB
Reent Places     Destrop     Destrop     Destrop     Destrop     Destrop     Destrop     Notic     Notice     Videes      Videes      Computer	• • • • <u> </u>	PRANK LANT AND FIFS, TIGAL STORE STORE COCK- STORE COCK- TOTAL T
File name: CAI	M11ExpEliTribalYes72S14FINAL.cov	Text Files ("print"bit,"csv)     Tools     Tools     Import     Cancel

Step Six: Follow the Text Import Wizard




In step one, select "Delimited" under the file type.

		Step 2 of 3				8 ×
his screen below. Delimiters Tab Sem Comm Space		•	our data contains. You coutive delimiters as one		r text is affected in ぜ	ie preview
111	County Autauga Autauga Autauga	01001020801 01001020801	CBFIPS 010010207001095 10010208011027 010010208011029 910010208011030		TotalLocations 1 2 28 6	InBloc +
			Cancel	< <u>B</u> ack	Next >	Einish

In step two, select "Comma" as the Delimiter.

his scree Column d	10000		and set the Data Form						
• Text			'General' converts numeric values to numbers, date values to dates, and all remaining values to text.						
O Date	MDY			Advanced					
122	ot import co	h mo (skin)		0.444111111					
Data gre	view			/					
	view	Ceneral	Text L	General	General	1			
Cenera State	Ceneral	TractFIPS	CBFIPS	Ceneral Triballands	Ceneral TotalLocationsInBlock				
Cenera State	Ceneral County Autauga	TractFIPS 01001020700	CBFIPS 010010207001095						
Cenera State	Coneral County Autauga Autauga	TractFIPS 01001020700 01001020801	CBFIPS 010010207001095 010010208011027		TotalLocationsInBlock 1 B	ĥ			
State	County County Autauga Autauga Autauga	TractFIPS 01001020700 01001020801 01001020801	CBFIPS 010010207001095 010010208011027 010010208011029			1			
Ceners	County County Autauga Autauga Autauga	TractFIPS 01001020700 01001020801 01001020801	CBFIPS 010010207001095 010010208011027		TotalLocationsInBlock 1 B				

In step three, highlight the CBFIPS column, select "Text" as the Column data format, and click Finish.



_									Book	L - Microsi	oft Excel	
R	le .	Home	Insert Pa	ge Layout Fo	ormulas Data F	aniew Vie	aw.					
Fro	n Fi	om From	From Other Sources *	Existing F	Connection Properties All + 99 Edit Links	24 <u>2</u> 2 24 Sort	Fiter The Reapply	Text to Remove Columns Duplicates	Data Consolidate What ar Validation * Analysis *		AN 200 -	Show Detail Hide Detail
		Get E	demal Data		Connections		Sort & Filter		Data Tools		Outline	6
_		A1	• (e	fe								
	A		8	C	D	E	F	G	н		1	
1	State	County		TractFIPS	CBFIPS	Tribaliands	TotalLocationsInBlock	TotalPCLocations	TotalPCExperimentalLocation	sinBlock	EligibleLocations	PCLocationsOverExtremelyHighCostThr
2	AL	Autauga		1001020700	0 010010207001095 ,	K	1	1		1	1	
3	AL	Autauga		100102080	010010208011027		8	8		2	2	
4	AL	Autauga		100102080	010010208011029		28	28		28	28	
5	AL	Autauga		100102080	1 010010208011030		6	6		6	6	
6	AL	Autauga		100102080	1 010010208011032		1	1		1	1	
7	AL	Autauga		100102080	1 010010208011033		1	1		1	1	
8	AL	Autauga		100102080	1 010010208012007		2	2		2	2	
9		Autauga			1 010010208012015		2	2		2	2	
10		Autauga			2 010010208021000		185	185		12	12	
11		Autauga			2 010010208021003		2	2		2	2	
12		Autauga			2 010010208021004		179	179		1	1	
13		Autauga			2 010010208021015		7	7		6	6	
14		Autauga			2 010010208021017		25	25		21		
15		Autauga			2 010010208021018		53	53		10		
16		Autauga			2 010010208021026		102	102		22	22	
17		Autauga			2 010010208021028		13	13		3	3	
18		Autauga			2 010010208021029		14	14		- 4	4	
19		Autauga			2 010010208021031		3	3		2	2	
20		Autauga			2 010010208021032		170	170		1	1	
21		Autauga			2 010010208021044		9	9		3	3	
22	AL	Autauga		100102080	2 010010208021053		4	4		4	4	

Applicants should follow these steps as they prepare their bid forms for submission, especially if they are copying and pasting census block IDs from the census block list to their bid forms. Using the Text Import Wizard provides Excel enough information to explicitly define columns as text. The text data format will preserve both leading zeros and prevent text data from being interpreted as scientific notation.

Any bid forms that contain census blocks that are missing a leading zero (i.e., 10010207001095 instead of 010010207001095) or are being interpreted as scientific notation will be considered invalid bids and will not be considered for rural broadband experiment funding. As a result, applicants should ensure that their uploaded bid forms are properly formatted.